FLUTEC TG p-PDMCHTM

Product Flutec TG p-PDMCH 17th November 1999 PAGE 1/4

1 - SUBSTANCE IDENTIFICATION

Trade Name: Flutec TG p-PDMCH
Material Type: Perfluorocarbon
Company: F2 Chemicals Ltd

Address: Lea Lane

Lea Town Preston Lancashire PR4 0RZ

UK

Telephone: +44 (0) 1772 775804 Fax: +44 (0) 1772 775809 Emergency Telephone: +44 (0) 1772 775833

2 - COMPOSITION

a) Substances Predominantly Perfluoro-1,4-dimethylcyclohexane

b) CAS Number 374-77-6

3 - HAZARD IDENTIFICATION

a) Hazard Symbols: Not applicable

b) Risk and Safety Keep container tightly closed.

Caution, avoid prolonged and repeated breathing of

concentrated vapour.

Thermal decomposition may produce toxic products. Small amounts of decomposition may occur above 400°C.

When using do not smoke. Do not empty into drains.

4 - FIRST AID MEASURES

a) Inhalation: In case of severe exposure; remove from exposure, rest and

keep warm. Apply artificial respiration if breathing has ceased.

Obtain medical attention if effects are other than slight.

b) Skin contact: Remove contaminated clothing and wash off with soap and

water. Obtain medical attention if adverse symptoms arise.

c) Eye contact: Irrigate thoroughly with water. Obtain medical attention if

adverse symptoms arise.

d) Ingestion: Wash out mouth with water. Obtain medical attention if adverse

symptoms persist.

5 - FIRE FIGHTING MEASURES

a) Suitable Extinguishers: Carbon dioxide

Alcohol resistant foam

Powder Halons Water Fog Water Jets

Inert material – Sand, earth, etc Non-combustible material

b) Unsuitable Extinguishers: Not applicable.

c) Hazardous Decomposition: Toxic fumes may be produced on thermal decomposition.

In the presence of other reactive substances and in a fire situation where hydrogen containing compounds are present, Hydrogen Fluoride and other toxic products may

be formed.

d) Special Procedures: Use water spray to cool containers.

Contact with flames gives rise of toxic vapours, avoid

inhalation of these vapours.

Use approved self contained breathing apparatus. Non-essential personnel should be evacuated from the

area until any fumes have dispersed.

Handle contaminated fluid in a ventilated area, avoiding

inhalation of vapour.

6 - ACCIDENTAL RELEASE MEASURES

a) Exposure Controls Flutec liquid spillages produce very slippery surfaces

which may be hazardous to personnel.

Evacuate area.

Do not allow spillage to enter drains and watercourse. If water is contaminated inform relevant authority

immediately.

b) Personnel Protection: Wear laboratory coat.

Respiratory protection not normally required.

Wear impermeable gloves.

Wear chemical safety spectacles or goggles.

c) Disposal Considerations: Absorb in inert material eg. sand, vermiculite absorbent

granules, place in plastic container for transfer.

Do not allow spillage to enter drains/sewers/water

courses.

Dispose of in accordance with local authority regulations.

7 – HANDLING AND STORAGE

a) Handling Do not smoke when handling.

Avoid contact of vapour or liquid with red hot surfaces, flames or electrical arcs as this may give rise to toxic

gases such as Hydrogen Fluoride.

Do not use sodium or similar metals or their hydrides for removing water from the liquid; other desiccants are

acceptable.

Allow sufficient ullage when drum filling to allow for

thermal expansion.

b) Storage Store in original, tightly closed, labelled container.

Incompatible with Lithium, Sodium, Potassium, Calcium

and Barium.

8 - EXPOSURE CONTROLS

a) Occupational Exposure Limit: None

b) Biological Exposure Limit: None

9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear colourless liquid

Odour:

Boiling Point:

Pour Point:

Vapour Pressure:

Odourless

102°C

-30°C

48 mbar

Density: 1.828 kg/l @25°C

Solubility in Water: Insoluble

Solubility in Organic Solvents: Sparingly soluble in most common solvents. Miscible

with CFCs.

10 - STABILITY AND REACTIVITY

a) Stability: Extremely stable.

b) Conditions to Avoid: Naked flames, hot surfaces.

c) Materials to Avoid: Lithium, Sodium, Potassium, Calcium, and Barium.

11 – TOXIC OLOGICAL INFORMATION

a) Chronic Effects: None known

b) Inhalation: No irritation or anaesthetic effects.

c) Skin Contact: Non-irritating but hot liquid or vapour may cause thermal

burns.

d) Eye Contact: Non-irritating but hot liquid or vapour may cause thermal

burns.

e) Routes of Exposure Inhalation, skin and eye absorption, ingestion.

12 – ECOLOGICAL INFORMATION

a) Ecotoxicity: No specific data available

13 – DISPOSAL CONSIDERATIONS

Contact manufacturer.

Dispose of through an authorised contractor to a

licensed landfill site.

Do not discharge into drains or watercourses. Large quantities should be incinerated by a waste

disposal organisation.

14 – TRANSPORT INFORMATION

Non-hazardous liquid not regulated for transport

services.

UN Number – not applicable IATA/ICAO – not regulated

ADR – not regulated IMDG – not regulated

Transport name – not applicable Hazchem code – not applicable.

15 – REGULATORY INFORMATION

a) Hazard symbols: None

b) Risk and Safety phrases: S41: In case of fire and / or explosion do not breathe

tumes.

c) Other regulations: Health and Safety at Work Act 1974.

d) Transport Information: See 14. Transport Information.

16 – OTHER REGULATION

a) Suitability for purpose: F2 Chemicals Ltd cannot guarantee the suitability of

this material for any particular purpose. It is the responsibility of the customer to satisfy himself that the product is suitable for his purpose. In the event of doubt the customer may contact F2 Chemicals for

advice.